

PRODUCT'S VOLUNTARY DATA SHEET

Security Data Sheets are documents with a legal defined application range, that must follow certain requirements regarding their format and their content ((Annex II of the REACH Regulation). Following the REACH regulation, the communication of important information through the SDS is solely required for dangerous substances and mixtures.

Therefore this Security Data Sheet is drawn up on a voluntary basis: it is not required pursuant to Article 31 of Regulation (CE) No 1907/2006. It is predisposed exclusively to provide a customer service and to allow a safe and conscious use of the product.

1. Identification of the substance and company

Product name SKYPLEN®

Product-description POLYPROPYLEN REGRANULAT

SKYPLEN® (1) (2) (3) (4) **Trade Name**

Following positions 1, 2, 3, 4, describe following abbreviations:

= H, K, M

= Q, S, T, C, X, F, V, Z, H, L, N, R,

= any color

= other abbreviations

Chemical composition POLYPROPLEN HOMOPOLYMER/COPOLYMER

REACH number 01-2119447103-50-Propene

CAS number 9003-07-0 **Producer / Supplier** SKYMAX SPA

> Via dell'Artigianato, 3 - 31010 Fonte (TV) Tel. +39 0423 946235 - Fax +39 0423 946219

E-mail lserraglia@skyplastic.com

SKY PLASTIC RECYCLING AND COMMERCE GMBH

Industriezone Ost 5; A9111 Haimburg E-mail office@skyplastic.com

Emergency number SKYMAX SPA

From Monday to Friday: 8.00 - 12.00; 13.00 - 18:00 SKY PLASTIC RECYCLING AND COMMERCE GMBH

0043 01 406 43 43

From Monday to Sunday: 00:00 - 24:00

2. Hazards identification

Dangers for man and environment Heated material can cause burns. If spilled material is slippery. Also can occur in the

processing of electrostatic discharge. Possible formation of electrostatic charges during handling. On heating the material fumes can irritate the eyes and mucous membranes.

Product name: SKYPLEN® Last update: N.06 from 18.10.2017

Date of issue: 14.03.2011

Pag - 1



Classification system

According to Regulation CEE 1999/45, 1967/548, Regulation (EC) 1907/2006, Nr.830/2015, Regulation (EC) 1907/2006 (CLP) and successive versions this material was not classified as dangerous.

3. Composition / information on

Chemical Properties: ingredients

The Complex preparation of the material includes the following materials:

Prop -1 ene, Polymer with Ethen (CAS 9010-79-1)

additives and stabilizers (non toxic)

dyes and pigments

4. First-aid measures

General instructions At normal ambient temperature, the product is not irritating, and there are no fumes.

The actions listed below apply to critical situations (fire, improper use)

Inhalation Repeated inhalation of steaming, you should get the person to fresh air immediately. Further

you should immediately contact a physician. Also you should ventilate the person immediately.

Skin contact At direct contact with the skin you should immediately flush them with fresh water. The cooled

mass may not even be detached from the skin. Immediately consult a doctor.

Eye Contact Flush eyes wide open under running water for several minutes, immediately contact a doctor.

Ingestion No specific measures for ingestion of the product in its existing form. If necessary consult a

doctor.

5. Fire-fighting measures

Extinguishing Media Water, foam, dry chemicals, CO2 - extinguisher

Special hazards caused by substance, its combustion gases

or resulting gases

In case of fire may form the following materials: water (H₂O), carbon dioxide (CO₂), in oxygen deficiency carbon monoxide (CO). The fire originated substances are dangerous. In the early stages of the fire (especially between 400°C-700°C) the formation of

hydrocarbons and aldehyde (acetic and crotonic acid) is possible.

Specific precautions wearing respirator

6. Measures unintentional discharge

Protective measures for people No special measures required. See point 8

Environmental protection

measures

No special measures required. See point 12 and 13

Methods for cleaning For small quantities: put in a labeled container. Safe disposal must be given. For larger

amounts: same procedure as for smaller amounts. Recycling or safe disposal of the product

must be given. See point 13

Other measures To avoid the risk of slipping collect spilled material

7. Handling / Storage

Instructions for use No special instructions at ambient temperature. Avoid the release of the product -

slippery surface. Vapors can arise at processing temperature: development of propylen ethylene, hydrocarbons with low molecular weight and their oxidation products,

Product name: SKYPLEN® Last update: N.06 from 18.10.2017

Date of issue: 14.03.2011 Pag - 2



solvents, traces of aldehyde (formaldehyde and acroleyn), traces of acids (formic and

acetic acid). During the process you must wear masks and there must be an

aspiration system.

In the case of colored products the prescribed processing temperatures should not be exceeded, as may arise from the dyes / pigments, hazardous decomposition products. Experimental trials in various phases of production have been identified that the level of formaldehyde, acroleyn, formic acid and acetic acid are well below the TLV – TWA level. If during transportation or handling is produced powder, take precautions against the risk of

explosions.

In case of fire or explosion No special measures required

Storage Precautionary measures against static electricity. No smoking. No flames. Products should be

stored in big bags, tanks, container or carton.

Provisions for mixed No special measures required

Other measures Protection from direct sun / heat exposure. Store in a well ventilated and dry place.

Maximum storage height of 2 big bags.

8. Exposure controls and personal protective equipment

General guidance for protection

and hygiene

While working, it's not allowed to eat and drink. Smoking is strictly forbidden.

Provide an aspiration system for the fumes developed during process.

Limits during processing not Specified

Additional limits for exposure to potential hazards During the

production process

107-02-8 acrylaldehyde - TWA Short-term value: C 0.23 mg / m^3 , C 0.1 ppm; Cute, A4 50-00-0 Formaldehyde - TWA Short-term value: C 0.37 mg / m^3 , C 0.3 ppm; sen, A2

64-19-7 Acetic Acid - TWA Short-term value: 37 mg / m³, 15 ppm

Long-term: 25 mg / m³, 10 ppm

64-18-6 formic acid - TWA Short-term value: 19mg / m³, 10 ppm

Long-term: 9.4 mg / m³, 5 ppm

RespiratorUse a respirator while handling the product if no exhaust system is available.

Protective gloves Thermal insulating gloves

Safety glasses It is recommended to wear protective glasses during the transfer of the material.

Protective Clothing Normal working clothes

9. Physical and chemical properties

Form Granules

Color see position N. 3 of the description SKYPLEN®

Odor odorless

Melting temperature 140-163°C

Boiling Point not specified

Flash point not specified (see Annex V, dir 92/69/CEE A.9)

Ignition Point> 400°CDecomposition temperature> 300°C

Product name: SKYPLEN®
Last update: N.06 from 18.10.2017

Date of issue: 14.03.2011

Pag - 3 -



Danger of explosion

OMPOUNDS

Product is not explosive - See point 7

Density at 20 ° C **Miscibility in Water** from 0,89 to 0,92 kg/dm3

Not miscible in water

Further informations

Soluble in chlorinated aromatic solvents -boiling/boiling

10. Stability and reactivity

Thermal decomposition / conditions to be avoided During normal handling and storage, the product is stable. The product decomposes at

a temperature above 300°C with decomposition residues.

Strong oxidizing agents that promote the decomposition of the product

Hazardous reactions None known

Hazardous Decomposition

Products

At ambient temperature not known

11. Toxicological

Materials to avoid

High Toxicity Escaping gases and vapors can irritate your eyes, skin and nose. Vapors and mists of the

product which are produced at high temperatures are irritating eyes and respiratory tract.

The first signs On the skin: no irritation

> In the eyes: no irritation Hypersensitivity: None known

Additional information According to our experience, the product is not hazardous to our health if our rules are adhered

to handle.

12. Ecological

Bioaccumulation potential

mobility

It has no specific bioaccumulation. Floats on water

Further informations The product is not biologically degradable. Do not introduce into the environment. The product is

not toxic, but small parts can afford physical effects on aquatic organism.

13. Disposal:

Recommendations The material can be recycled according to the current regulations. The recycling has to occur

through an authorized recycler. Do not discharge in drainage systems, streams, wells or environment in general. Incineration and disposal must be in accordance with EU directives, but also be carried out according to national and state-related laws. Check before reuse. Empty containers could (if they are not contaminated) be re-used or used either for internal materials.

14. Transport information

Transport / Further information The product is not dangerous according to national and international regulations for transport,

road, rail, sea and air.

15. Regulations

Authorizations No substance included in Annex XIV was identified.

Product name: SKYPLEN® Last update: N.06 from 18.10.2017

Date of issue: 14.03.2011

Pag -



Use restrictions

Classification according to **EU** regulation

COMPOUNDS

Other regulations, prohibitions and restrictions

No substance included in the Candidate List was identified.

The substance has no obligation to classification according to the EU list and also all other available sources.

All national and European regulations apply to this product.

16. Other Information

NOTICE: This Material Safety Data Sheet is based on data available at the time of the data-preparation with the aim of the right product for the environment, health and safety requirements described.

This data sheet should not be construed as a guarantee for the special quality of the product.

The company SKYMAX assumes no responsibility for changes made by third parties or improper handling of the product according to the previous description and also for the improper use of the product which was not predictable.

The buyer of the product must ensure that the information corresponding to its processing of the product.

This sheet was written in compliance with the CEE regulation 91/155.

Product name: SKYPLEN® Last update: N.06 from 18.10.2017

Date of issue: 14.03.2011

Pag - 5